

Mixing Instructions

With **KBGC 10 SA & KLC 10**
Country **Uganda**
Specie **Layers**
Batch weight **1,000 kg**

9211-1 Economy



Version: 6/2/2023		960710 Pre-Starter	201-9211 Starter	202-9211 Grower	204-9211 Developer	
Code	Ingredient	Unit (kg)	0-7 days	1-6 weeks	7-12 weeks	13-17 weeks
960710	Galdus Layer	Min. 100gr/DOC				
KN627C	MAIZE			540	570	550
KN673C	WHEAT BRAN / POLLARD			90	170	305
KN660C	MAIZEBRAN					
KN697C1	SOYA CAKE DEOILED			250	150	
960033	KBGC 10 SA			120	100	
969502	KLC 10					100
KN691C	FF TOASTED SOYBEANS					30
KN778-04C	LIMESTONES 33%CA				10	15
KN718C	SUNFLOWER CAKE					
Total				1,000	1,000	1,000

CALCULATED ANALYSIS

001	Crude Protein	%	21.4	20.5	16.9	14.0
002	Crude Fat	%	4.2	5.0	4.6	4.4
060	Starch Ewers	%	35.1	37.6	40.4	40.9
003	Crude Fibre	%	6.0	4.8	4.8	5.4
089	Dry matter	%	89.3	88.3	88.1	87.8
005	Moisture	%	10.7	11.7	12.0	12.2
098	ME Poultry	Kcal	2830	2860	2820	2750
1750	Digestible Lysine	%	1.13	1.06	0.81	0.64
1768	Digestible Methion + Cystin	%	0.81	0.83	0.71	0.62
1753	Digestible Treonin	%	0.73	0.66	0.52	0.44
016	Total lysin	%	1.24	1.18	0.90	0.71
017	Total Methionin	%	0.52	0.55	0.46	0.41
019	Total Methionin + Cystin	%	0.90	0.91	0.77	0.67
048	Calcium	%	0.87	0.80	0.99	0.75
049	Total Phosphor	%	0.54	0.51	0.51	0.57
145	Digestible Phosphor	%	0.42	0.39	0.34	0.36
052	Sodium	%	0.20	0.18	0.15	0.15
050	Chloride	%	0.30	0.31	0.27	0.23
208	Colorant added - Yellow		Not Added	Not Added	Not Added	Added
209	Colorant added - Red		Not Added	Not Added	Not Added	Added
ZC	Coccidiostat		Not Added	Added	Added	Not Added
999	Essential vitamins & trace minerals		Added	Added	Added	Added

- Important remarks:
- Mixing directions can change depending on the price and quality of local available raw materials.
 - Consult the local legislation for possible regulations regarding use of feed additives such as coccidiostats and withdrawal time.
 - When oil is available; replace 0,5% corn for 0,5% oil.
 - To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
 - Always make sure all birds have access to enough feed.
 - Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
 - To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
 - Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
 - In case of management related issues, ask for the Koudijs Management Guide.
 - Make sure birds always have access to fresh, cool and clean water.

V10_08