

# Mixing Instructions

With **KBC 35/30 SA**  
 Country **Uganda**  
 Specie **Broilers**  
 Batch weight **1,000 kg**

**9000**  
**Performance**



| Version: 5/25/2023  | 969574<br>Galdus | 301-9000<br>Starter<br>8-14<br>days | 302-9000<br>Grower<br>15-28<br>days | 303-9000<br>Finisher<br>29-42 days |
|---------------------|------------------|-------------------------------------|-------------------------------------|------------------------------------|
| Code Ingredient     | Unit (kg)        | 0-7 days                            |                                     |                                    |
| 969574 Galdus       | Min. 175 gr/DOC  |                                     |                                     |                                    |
| C02627 MAIZE        |                  |                                     | 620                                 | 650                                |
| 969452 KBC 35/30 SA |                  |                                     | 370                                 | 330                                |
| KN768 SOYBEAN OIL   |                  |                                     | 10                                  | 20                                 |
| <b>Total</b>        |                  |                                     | <b>1,000</b>                        | <b>1,000</b>                       |

## CALCULATED ANALYSIS

|   |      |           |       |       |       |
|---|------|-----------|-------|-------|-------|
| 001 Crude Protein                       | %    | 23.0      | 21.1  | 19.6  | 18.5  |
| 002 Crude Fat                           | %    | 5.4       | 4.9   | 5.9   | 6.9   |
| 003 Crude Fibre                         | %    | 4.0       | 3.2   | 3.1   | 3.0   |
| 089 Dry matter                          | %    | 89.1      | 87.8  | 87.8  | 87.9  |
| 004 Ash                                 | %    | 5.8       | 5.8   | 5.3   | 4.9   |
| 098 ME Poultry                          | Kcal | 3000      | 3070  | 3160  | 3240  |
| 1750 Digestible Lysine                  | %    | 1.27      | 1.19  | 1.09  | 1.01  |
| 1768 Digestible Methion + Cystin        | %    | 0.86      | 0.81  | 0.75  | 0.71  |
| 1753 Digestible Treonin                 | %    | 0.79      | 0.68  | 0.64  | 0.60  |
| 016 Total lysin                         | %    | 1.40      | 1.30  | 1.19  | 1.10  |
| 019 Total Methionin + Cystin            | %    | 0.95      | 0.89  | 0.82  | 0.78  |
| 020 Total Treonin                       | %    | 0.92      | 0.80  | 0.74  | 0.70  |
| 048 Calcium                             | %    | 0.86      | 0.97  | 0.87  | 0.79  |
| 049 Total Phosphor                      | %    | 0.54      | 0.48  | 0.45  | 0.43  |
| 145 Digestible Phosphor                 | %    | 0.45      | 0.42  | 0.38  | 0.35  |
| 052 Sodium                              | %    | 0.20      | 0.17  | 0.16  | 0.14  |
| 050 Chloride                            | %    | 0.29      | 0.30  | 0.27  | 0.25  |
| ZC Coccidiostat                         |      | Not Added | Added | Added | Added |
| 999 Essential vitamins & trace minerals |      | Added     | Added | Added | Added |

\*DOC: Day Old Chick

Important remarks:

- Mixing directions can change depending on the price and quality of local available raw materials.
- Consult the local legislation for possible regulations regarding use of feed additives such as coccidiostats and withdrawal time.
- In case of no oil; replace the oil with corn. Note that FCR is likely to increase.
- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Always make sure all birds have access to enough feed.
- Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- In case of management related issues, ask for the Koudijs Management Guide.
- Make sure birds always have access to fresh, cool and clean water.

V10\_07