

# Mixing Instructions

With **KBC 10 SA**  
 Country **Uganda**  
 Specie **Broilers**  
 Batch weight **1,000 kg**

**9011 Economy**



Version: 5/26/2023

Code Ingredient	Unit (kg)	969574 Galdus 0-7 days	301-9011 Starter 8-14 days	302-9011 Grower 15-28 days	303-9011 Finisher 29-42 days
969574 Galdus	Min. 175 gr/DOC				
KN691C FF TOASTED SOYBEANS			340	330	275
C02627 MAIZE			300	360	470
KN660C MAIZEBRAN			230	200	155
960033 KBGC 10 SA			130	110	100
<b>Total</b>			<b>1,000</b>	<b>1,000</b>	<b>1,000</b>

## CALCULATED ANALYSIS

001 Crude Protein	%	23.0	22.0	21.2	19.2
002 Crude Fat	%	5.4	10.5	10.2	9.2
003 Crude Fibre	%	4.0	5.1	4.9	4.5
089 Dry matter	%	89.1	88.8	88.8	88.5
004 Ash	%	5.8	6.2	5.7	5.1
098 ME Poultry	Kcal	3000	2990	3040	3100
1750 Digestible Lysine	%	1.27	1.11	1.05	0.93
1768 Digestible Methion + Cystin	%	0.86	0.87	0.81	0.75
1753 Digestible Treonin	%	0.79	0.68	0.66	0.60
016 Total lysin	%	1.40	1.28	1.21	1.07
019 Total Methionin + Cystin	%	0.95	0.98	0.92	0.85
020 Total Treonin	%	0.92	0.85	0.81	0.74
048 Calcium	%	0.86	0.86	0.74	0.67
049 Total Phosphor	%	0.54	0.45	0.43	0.41
145 Digestible Phosphor	%	0.45	0.36	0.32	0.30
052 Sodium	%	0.20	0.20	0.17	0.15
050 Chloride	%	0.29	0.32	0.28	0.26
ZC Coccidiostat		Not Added	Added	Added	Added
999 Essential vitamins & trace minerals		Added	Added	Added	Added

\*DOC: Day Old Chick

Important remarks:

- Mixing directions can change depending on the price and quality of local available raw materials.
- Consult the local legislation for possible regulations regarding use of feed additives such as coccidiostats and withdrawal time.
- When oil is available; replace 0,5% corn for 0,5% oil.
- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Always make sure all birds have access to enough feed.
- Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- In case of management related issues, ask for the Koudijs Management Guide.
- Make sure birds always have access to fresh, cool and clean water.

V10\_07