

Mixing Instructions

With **KBC 35 SA & KLC 5**
 Country **Uganda**
 Specie **Layers**
 Batch weight **1,000 kg**

9201 -92321 Economy



Version: 10/23/2023

Code	Ingredient	Unit (kg)	960710	201-9201	202-9201	204-9230	205-92321	206-92321	207-92321	208-92321	209-92321
			Pre-Starter	Starter	Grower	Developer	Pre layer	Pre Peak	Phase 1	Phase 2	Phase 3
			0-7 days	1-6 weeks	7-12 weeks	13-17 weeks	18-19 weeks (till 5% production)	20-30 weeks	31-40 weeks	41-60 weeks	61 weeks - end
960710	Galdus Layer	Min. 100 g/DOC									
KN627C	MAIZE			550	530	550	490	440	390	390	390
969452	KBC 35/30 SA			350	300						
KN673C	WHEAT BRAN / POLLARD			100	170	270					
KN649C	MAIZEBRAN						150	200	250	240	230
KN697C1	SOYA CAKE DEOILED					115	150	150	150	150	150
KN778-04C	LIMESTONES 33%CA					15	70	100	100	110	120
KN718C	SUNFLOWER CAKE						90	60	60	60	60
969501	KLC 5 + CARO				50	50	50	50	50	50	50
	Total			1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

CALCULATED ANALYSIS

001	Crude Protein	%	21.1	20.9	19.7	15.2	16.0	15.3	15.4	15.3	15.2
002	Crude Fat	%	4.0	3.9	3.9	4.4	6.1	6.0	6.3	6.2	6.1
003	Crude Fibre	%	5.8	3.9	4.3	5.1	5.9	5.1	5.2	5.2	5.1
089	Dry matter	%	89.1	87.6	87.6	87.9	88.8	89.0	88.9	89.1	89.2
004	Ash	%	5.8	5.8	5.5	5.4	10.8	13.7	13.8	14.7	15.7
600k	ME Poultry	Kcal	2760	2790	2730	2690	2730	2650	2640	2610	2580
600	ME Poultry	MJ	11.53	11.68	11.43	11.26	11.44	11.11	11.04	10.92	10.80
1750	Digestible Lysine	%	1.13	1.16	1.05	0.65	0.71	0.69	0.69	0.69	0.69
1768	Digestible Methion + Cystin	%	0.81	0.79	0.73	0.62	0.67	0.65	0.65	0.65	0.64
048	Calcium	%	0.87	0.90	0.78	0.85	2.68	3.67	3.67	4.00	4.33
049	Total Phosphor	%	0.53	0.54	0.56	0.55	0.41	0.38	0.37	0.37	0.37
145	Digestible Phosphor	%	0.42	0.42	0.39	0.35	0.31	0.31	0.30	0.30	0.30
147	Available Phosphor	%	0.44	0.42	0.38	0.32	0.31	0.30	0.30	0.30	0.30
052	Sodium	%	0.20	0.16	0.14	0.15	0.16	0.16	0.16	0.16	0.16
Som 15	Phytase		Added	Added	Added	Added	Added	Added	Added	Added	Added
Som 16	NSP Enzyme		Added	Not Added	Not Added	Added	Added	Added	Added	Added	Added
ZC	Cocciostat		Not Added	Added	Added	Not Added	Not Added	Not Added	Not Added	Not Added	Not Added
999	Essential vitamins & trace		Added	Added	Added	Added	Added	Added	Added	Added	Added

Important remarks:

- Mixing directions can change depending on the price and quality of local available raw materials.
- Consult the local legislation for possible regulations regarding use of feed additives such as cocciostat and withdrawal time.
- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Always make sure all birds have access to enough feed.
- Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- In case of management related issues, ask for the Koudijs Management Guide.
- Make sure birds always have access to fresh, cool and clean water.
- Economy mixings are focused on a low price per kg of complete feed and an economical performance.

V10_09