

Mixing Instructions

With **KBC 35/30 SA (969452)**
 Country **Uganda**
 Specie **Broiler**
 Batch weight **1 000 kg**



Optimal

Version: 2021-02-05

	Galdus Pre-Starter	30102 Starter	30202 Grower	30302 Finisher	
Code Ingredient	Unit (kg)	0-7 days	0-14 days	15-28 days	29-42 days

969574 Galdus		Min. 150 gr/DOC			
969452 KBC 35/30 SA			370	330	300
KN627 CORN 8,5%CP			620	650	670
KN768 SOYBEAN OIL			10	20	30
Total			1 000	1 000	1 000

CALCULATED ANALYSIS

001 Crude Protein	%	23,0	21,1	19,6	18,5
002 Crude Fat	%	5,4	5,0	6,0	7,0
003 Crude Fibre	%	4,0	3,0	2,9	2,9
089 Dry matter	%	89,1	88,0	88,0	88,1
004 Ash	%	5,8	5,7	5,2	4,8
098 ME Poultry	Kcal	3000	3080	3170	3260
1750 Digestible Lysine	%	1,27	1,19	1,09	1,01
1751 Digestible Methionin	%	0,54	0,52	0,48	0,45
1768 Digestible Methion + Cystin	%	0,86	0,81	0,75	0,71
1753 Digestible Treonin	%	0,79	0,68	0,64	0,60
016 Total lysin	%	1,40	1,31	1,19	1,10
017 Total Methionin	%	0,57	0,54	0,50	0,47
019 Total Methionin + Cystin	%	0,95	0,89	0,83	0,78
020 Total Treonin	%	0,92	0,81	0,75	0,70
048 Calcium	%	0,86	0,94	0,84	0,76
049 Total Phosphor	%	0,54	0,52	0,49	0,47
145 Digestible Phosphor	%	0,45	0,42	0,38	0,35
052 Sodium	%	0,20	0,17	0,15	0,14
050 Chloride	%	0,29	0,30	0,27	0,25
ZC Coccidiostat		Not Added	Added	Added	Added
999 Essential vitamins & trace minerals		Added	Added	Added	Added

*DOC: Day Old Chick

Important remarks:

- Mixing directions can change depending on the price and quality of local available raw materials.
- For the best results; start with the Koudijs Galdus 2mm pre-starter (minimum 150 gram/bird total, preferably more).
- In case of no oil; replace the oil with corn. Note that FCR is likely to increase.
- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Always make sure all birds have access to enough feed.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Make sure birds always have access to fresh, cool and clean water.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- During the hot season or when the house temperature exceeds 27 degrees Celsius, it is recommended to replace 10 kg/mton of corn with soybean oil.

V10_04

Mixing Instructions

With **KBC 35/30 SA (969452)**
 Country **Uganda**
 Specie **Broiler**
 Batch weight **1 000 kg**



Optimal

Version: 2021-02-04
 Code Ingredient

Code Ingredient	Unit (kg)	Galdus Pre-Starter 0-7 days	30102 Starter 0-14 days	30202 Grower 15-28 days	30302 Finisher 29-42 days
969574 Galdus		Min. 150 gr/DOC			
969452 KBC 35/30 SA		370	370	330	300
KN627 CORN 8.5%CP		620	620	650	670
KN768 SOYBEAN OIL		10	10	20	30
Total		1000	1000	1000	1000