

Mixing Instructions

With **KBC 10 SA (960033)**
 Country **Uganda**
 Specie **Broilers**
 Batch weight **1 000 kg**



Optimal

Version: 2021-02-08

| Code Ingredient | Unit (kg) | Galdus | 30110 | 30210 | 30310 |
|--------------------------|-----------|-----------------|--------------|--------------|--------------|
| | | 0-7 days | Starter | Grower | Finisher |
| 969574 Galdus | | Min. 150 gr/DOC | | | |
| 960033 KBGC 10 SA | | | 120 | 100 | 100 |
| C02627 MAIZE 8,5%CP | | | 510 | 565 | 620 |
| C02697 SOYA CAKE DEOILED | | | 310 | 280 | 250 |
| C02673 WHEAT BRAN | | | 40 | 30 | |
| KN768 SOYBEAN OIL | | | 20 | 25 | 30 |
| Total | | | 1 000 | 1 000 | 1 000 |

CALCULATED ANALYSIS

| | | | | | |
|---|------|-----------|-------|-------|-------|
| 001 Crude Protein | % | 23,0 | 22,5 | 20,9 | 19,5 |
| 002 Crude Fat | % | 5,4 | 7,2 | 7,6 | 8,0 |
| 003 Crude Fibre | % | 4,0 | 4,5 | 4,1 | 3,8 |
| 089 Dry matter | % | 89,1 | 89,1 | 89,0 | 88,9 |
| 004 Ash | % | 5,8 | 5,7 | 5,1 | 4,8 |
| 098 ME Poultry | Kcal | 3000 | 3020 | 3110 | 3210 |
| 1750 Digestible Lysine | % | 1,27 | 1,18 | 1,07 | 0,99 |
| 1768 Digestible Methion + Cystin | % | 0,86 | 0,87 | 0,79 | 0,77 |
| 1753 Digestible Treonin | % | 0,79 | 0,72 | 0,67 | 0,63 |
| 016 Total lysin | % | 1,40 | 1,32 | 1,19 | 1,10 |
| 019 Total Methionin + Cystin | % | 0,95 | 0,97 | 0,88 | 0,85 |
| 020 Total Treonin | % | 0,92 | 0,86 | 0,80 | 0,75 |
| 048 Calcium | % | 0,86 | 0,82 | 0,69 | 0,68 |
| 049 Total Phosphor | % | 0,54 | 0,51 | 0,48 | 0,44 |
| 145 Digestible Phosphor | % | 0,45 | 0,37 | 0,32 | 0,31 |
| 052 Sodium | % | 0,20 | 0,18 | 0,15 | 0,15 |
| 050 Chloride | % | 0,29 | 0,31 | 0,26 | 0,26 |
| ZC Coccidiostat | | Not Added | Added | Added | Added |
| 999 Essential vitamins & trace minerals | | Added | Added | Added | Added |

*DOC: Day Old Chick

Important remarks:

- Mixing directions can change depending on the price and quality of local available raw materials.
- For the best results; start with the Koudijs Galdus 2mm pre-starter (minimum 150 gram/bird total, preferably more).
- In case of no oil; replace the oil with corn. Note that FCR is likely to increase.
- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Limestone is a raw material where the calcium content can vary enormously. Calculations have been made with a calcium content of 33%. When using another concentration of calcium in lime stone, it is recommended to correct for this.
- Ensure proper quality of the limestone used. Quicktests are available, ask your local representative for more information.
- Always make sure all birds have access to enough feed.
- To avoid drop in feed intake; ensure the change of feeds (from Starter to Grower feed etc.) happens gradually.
- Make sure birds always have access to fresh, cool and clean water.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the bird houses only.
- In case of management related issues, ask for the Koudijs Management Guide.

V10_04

Mixing Instructions

With **KBC 10 SA (960033)**
 Country **Uganda**
 Specie **Broilers**
 Batch weight **1 000 kg**



Optimal

Version: 2021-02-08
 Code Ingredient

| | Unit (kg) | Galdus 0-7 days | 30110 Starter 5-14 days | 30210 Grower 15-28 days | 30310 Finisher 29-42 days |
|--------------------------|-----------|--------------------|-------------------------------|-------------------------------|---------------------------------|
| 969574 Galdus | | | | | |
| Min. 150 gr/DOC | | | | | |
| 960033 KBGC 10 SA | | 120 | | 100 | 100 |
| C02627 MAIZE 8.5%CP | | 510 | | 565 | 620 |
| C02697 SOYA CAKE DEOILED | | 310 | | 280 | 250 |
| C02673 WHEAT BRAN | | 40 | | 30 | 30 |
| KN768 SOYBEAN OIL | | 20 | | 25 | 30 |
| Total | | 1000 | | 1000 | 1000 |