

Mixing Instructions

Client **Africa**
 With **Performance (with KPC20 & KPC30)**
 Intended for **Pigs**
 Batch weight **1.000 kg**



Version:	16-1-2024	10114	10414	11014	11614	12114	12314	12514	
Code	Ingredient	Unit (kg)	CREEP	STARTER	GROWER	FINISHER	GILTS	GESTATION	LACTATION
1002020	MAIZE FLOUR		500	250					
1002030	MAIZE		500	325	550	500	500	325	500
1002200	MAIZE BRAN			100	200	300	300	500	250
960823	KPC 30/25/20			225	250	200			
960840	KPLC 50	500		100					
969180	KPC 20/15						200	175	250
	Total		1.000	1.000	1.000	1.000	1.000	1.000	1.000

CALCULATED ANALYSIS

001	Crude Protein	%	16,1	15,5	14,8	13,7	14,8	14,6	16,3
002	Crude Fat	%	6,6	5,5	5,7	6,2	6,0	7,1	5,7
003	Crude Fibre	%	4,2	3,5	3,5	3,5	3,1	3,6	3,1
094	ME Swine	Kcal	3335	3311	3297	3295	3298	3264	3293
016	Total lysin	%	1,16	1,10	1,00	0,86	0,90	0,84	1,06
017	Total Methionin	%	0,43	0,39	0,37	0,33	0,29	0,29	0,31
019	Total Methionin + Cystin	%	0,71	0,67	0,63	0,58	0,55	0,55	0,59
020	Total Treonin	%	0,77	0,73	0,68	0,61	0,58	0,57	0,64
048	Calcium	%	0,44	0,61	0,58	0,47	0,77	0,67	0,95
049	Total Phosphor	%	0,47	0,44	0,43	0,41	0,37	0,39	0,38
052	Sodium	%	0,30	0,27	0,24	0,19	0,23	0,21	0,29
050	Chloride	%	0,46	0,44	0,39	0,32	0,38	0,34	0,46
101	Essential vitamins & trace minerals	IU/kg	Added	Added	Added	Added	Added	Added	Added

Performance Mixings aim to maximize the performance of your pigs

Important remarks:

- To achieve good results, follow up on the mixing instructions! Do not alter or change without consult.
- Raw materials that are ground too coarsely have a negative effect on the results (target average particle size < 1.0 mm.)
- For young piglets it is recommended to use maize flour (target average particle size < 0.7 mm.)
- Maize bran is sensitive to mold, therefore dry preservation is very important (target moisture content < 13%)
- For extra stimulus of intake and digestion use Romelko Creep Feed
- To help piglets to survive at a young age use Nurse Meal

V09_03